





- 1/2" format 30~750mm
- DC-type auto-iris with 4-pin
- Available with presets

Focal Length:	30~750mm	Operation: Zoom:	Motorized (DC±4V~12V, Max 40mA) Speed Approx. 6 sec. (at 6.4V)
Max. Relative Aperture:	1:4.6 (6.6 @ Tele)	Focus:	Motorized (DC±4V~12V, Max 40mA) Speed Approx. 6 sec. (at 6.4V)
Iris:	F4.6~Approx. 360 With ND Spot Filter	Iris:	IG (auto-close) Speed Within 3.5 sec.
Zoom Ratio:	25X	Operation Temperature:	-10 ~ +50°C (+14 ~ 122° F)
Angular Field of View:	1/2": 12.2° x 9.1° at 30mm 0.5° x 0.4° at 750mm 1/3": 9.1° x 6.9° at 30mm 0.4° x 0.3° at 750mm	Filter Size:	None
Min. Object Distance (M.O.D.):	2.5m (From Front Vertex)	Mount:	C-mount (Adjustable Lens Postion)
Optical Back Focal Distance:	491mm (In Air)	Size, Approx. Weight:	122 x 122 x 310mm (w/h/d), 2.5kg (Approx. 4.8 x 4.8 x 12.2in., 5.5lb.)



* Also referred to as DAMP, CONTROL, or DUMP

Specifications subject to
change without notice